



2018-09-27

Mr. Jeffrey Zank  
Vollrath Co LLC  
Box 611 1236 N 18<sup>th</sup> St  
Sheboygan, WI, 53082, US

E-mail: jzank@vollrathco.com

Reference: Project : 4788475376 P.O. Number: N/A

Product: EPA 202 TEST METHOD: USING THE VOLLRATH MODEL MGD18 CONVEYOR PIZZA  
OVEN COOKING THE BELOW FOOD PRODUCT AS MEDIA. THE MODEL MGD18  
ALSO REPRESENTS MODELS JSO14, JPO14, JPO18, JB2H AND JB3H.

Dear Mr. Zank,

Per your request, project 4788475376 was opened for the evaluation of grease-laden vapors produced from the Model MGD18 oven.

The scope of this project was to determine the total grease emissions from cooking 12 inch pepperoni pizzas as the specified food load as noted in Appendix A. Testing is conducted in accordance with EPA Method 202 test guidelines to determine ultimate results. Results are used to determine compliance with Section 59 of UL710B, Second Edition, the Standard for Recirculating Systems, formerly Section 14 of UL 197, Eighth Edition, Supplement SB, and paragraph 4.1.1.2 of NFPA96, the Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations. The test was conducted at our facility in Northbrook, IL on September 13<sup>th</sup>, 2018. This letter will report the results of the EPA202 test.

For the record, the test was conducted using the Vollrath Model MGD18 oven, rated 208 V, 6200 W, 29.8 A which was also considered representative of other models JSO14, JPO14, JPO18, JB2H, and JB3H that are rated less than 6200 W and are smaller in size and have less food throughput than the model tested. Please see appendix A attached for the power measurement during the test. The test media, food load and oven programming as shown in Appendix A were taken from UL 710B, Section 59. The results are considered to comply with UL710B, Section 59, formerly Section 14 of UL 197, Eighth Edition, Supplement SB, and NFPA96, paragraph 4.1.1.2 when tested with the specified food load and maximum cook times since the total amount of grease-laden effluents collected was 1.90 mg/m<sup>3</sup>, which is less than 5 mg/m<sup>3</sup> limit. No evaluation was conducted in regards to fire protection.

This test would also cover the results of two stacked version of model MGD18 since the result of the EPA202 Test for one model was low enough that the theoretical result of testing two ovens stacked would be below the 5 mg/m<sup>3</sup> limit.



UL LLC did not select the samples, determine whether the samples were representative of production samples or witness the production of the test samples, nor were we provided with information relative to the formulation or identification of component materials used in the test samples. The test results apply only to the actual samples tested.

The issuance of this report in no way implies Listing, Classification or Recognition by UL LLC and does not authorize the use of UL Listing, Classification or Recognition Marks or any other reference to UL LLC on the product or system. UL LLC authorizes the above named company to reproduce this Report provided it is reproduced in its entirety. The name, Brand or Marks of UL LLC cannot be used in any packaging, advertising, promotion or marketing relating to the data in this Report, without UL's prior written permission.

UL, its employees and agents shall not be responsible to anyone for the use or nonuse of the information contained in this Report, and shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use of, or inability to use, the information contained in this Report.

This letter will serve to report that all tests on the subject product have been completed. All information generated will be retained for future use. This concludes all work associated with Project 4788475376 and we are therefore closing this project. Our Accounting Department has been instructed to bill you for all charges incurred.

Thank you for the opportunity to provide your company with these services. Please do not hesitate to contact us if you should have any questions or comments.

Very truly yours,

A handwritten signature in black ink that reads "Smit Thakkar".

Smit Thakkar  
Engineer  
E-mail: [smit.thakkar@ul.com](mailto:smit.thakkar@ul.com)

Reviewed by:

A handwritten signature in black ink that reads "Fred Zaplatosch".

Fred Zaplatosch  
Sr. Staff Engineer  
E-mail: [fred.zaplatosch@ul.com](mailto:fred.zaplatosch@ul.com)